

## Vaktaalrubriek

# Gewone Afrikaanse en Engelse name vir die meer algemene Suid-Afrikaanse sampioene en ander makroswamme

G.J.M.A. Gorter en Albert Eicker

Departement Plantkunde, Universiteit van Pretoria, Pretoria 0001

Die gebrek aan volksname vir ons sampioene en grotere swamme is 'n weerspieëling van die algemene gebrek aan kennis en belangstelling van die Afrikaner in die wonderwêreld van die Fungiryk. In die gevalle waar daar wel gewone name bestaan, is dit dikwels 'n aanduiding van die agterdog en selfs vrees wat die gewone man vir die swamme het. So kry ons *duiwelsbrood*, *slangkop*, *stinkhoring*, *bobbejaansnuif* en *Judasoor*. Gedurende die afgelope aantal jare was daar 'n groeiende bewuswording van die makroswamme en 'n besondere belangstelling in die eetbare soorte. Dit kan deels toegeskryf word aan die geredelike beskikbaarheid van gekweekte sampioene, wat tans op groot skaal kommersieel verbou word, en wat sampioene op die Afrikaner se spyskaart geplaas het. Gekoppel hieraan is daar ook 'n bewuswording van natuurverskynsels en ons land se wonderlike plant- en dierelewe.

Die doel van hierdie artikel is om gewone name (volksname) vir die meer algemene of wydverspreide Suid-Afrikaanse sampioene en ander makroswamme voor te stel. In die lys van spesies word ook enkele baie bekende soorte ingesluit wat oorsee algemeen en wydverspreid voorkom, alhoewel hulle relatief seldsaam in ons land is. Vir volledigheid word Engelse gewone name ook in die lys opgeneem of voorgestel. By die opstelling van die lys is daar baie woorde uit Neder-

lands en Duits oorgeneem en aangepas. Die outeurs probeer ook om 'n aanduiding te gee van die eetbaarheid of giftigheid van die spesies. Spesies sonder aanduiding is of oneetbaar of eetbaar, maar hulle kan dan soms maagstoornisse veroorsaak; andersins ontbreek kennis omtrent hulle oneetbaarheid nog. Giftige soorte word met † aangedui en eetbare soorte met \*. Enkele soorte word ook met (\*) aangedui. In hierdie gevalle is die betrokke spesie nie ongekwaliseerd eetbaar nie en is 'n sekere mate van vooraf kennis of voorsorg noodsaaklik. So is daar soorte wat 'n hewige reaksie veroorsaak as dit saam met alkohol verbruik word; ander mag weer nie rou geëet word nie. Daar is ook die spesies wat deur sekere mense sonder nadelige gevolge geëet kan word, terwyl ander persone skynbaar 'n allergie daarvoor het.

Ons verwag nie dat die lesers altyd met ons voorgestelde name sal saamstem of dit sonder meer sal aanvaar nie. Derhalwe word die lys as voorlopig beskou en sal enige opbouwende kritiek en voorstelle in verband met toevoegings, alternatiewe name of veranderings met groot graagte deur ons ontvang word.

Die voorkoms van die verskillende spesies word soos volg in die lys aangedui: A: algemeen; B: plaaslik algemeen of wydversprei deur die land; C: van tyd tot tyd redelik algemeen; D: seldsaam.

| Voorkoms/Wetenskaplike naam      | Afrikaanse naam               | Engelse naam              |
|----------------------------------|-------------------------------|---------------------------|
| B <i>Agaricus arvensis</i> **    | perdesampioen                 | horse mushroom            |
| A <i>Agaricus bisporus</i> **    | gekweekte sampioen            | cultivated mushroom       |
| B <i>Agaricus campestris</i> **  | veldsampioen                  | field mushroom            |
| B <i>Agaricus silvaticus</i> *   | skubbige bossampioen          | scaly forest mushroom     |
| D <i>Agaricus silvicola</i> *    | gladde bossampioen            | smooth forest mushroom    |
| B <i>Agaricus xanthodermus</i> † | geelvlekpaddastoel            | yellow-staining toadstool |
| B <i>Agrocybe pediades</i>       | graskoepeltjie                | half-globe mushroom       |
| A <i>Albatrellus cristatus</i>   | gegolfde grondporieswam       | crested ground polypore   |
| D <i>Amanita citrina</i>         | geelhoedamaniet               | false death cap           |
| A <i>Amanita muscaria</i> †      | rooihoedamaniet; vlieëgifswam | fly agaric                |
| A <i>Amanita pantherina</i> † †  | tieramaniet                   | panther cap               |
| A <i>Amanita phalloides</i> † †  | gifbekeranamiet               | death cap                 |
| A <i>Amanita rubescens</i> (*)   | vals tieramaniet              | blusher                   |
| B <i>Amanita solitaria</i> *     | witthoedamaniet               | white agaric              |
| B <i>Amauroderma rugosum</i>     | bruinsteelporieswam           | brown stalked polypore    |
| B <i>Anthurus archeri</i>        | inkvisstinkhoring             | red stinkhorn             |
| B <i>Arachnion album</i>         | korrelstuifbal                | granular puff-ball        |

| Voorkoms/Wetenskaplike naam              | Afrikaanse naam                | Engelse naam                         |
|--|--------------------------------|--------------------------------------|
| A <i>Armillariella mellea</i> (*)        | heuningswam                    | honey mushroom; bootlace fungus      |
| C <i>Aseroë rubra</i>                    | sterstinkhoring                | star stinkhorn                       |
| B <i>Asterostromella diriuscula</i>      | room korsswam                  | creamy white crust                   |
| B <i>Auricularia auricula-judae</i> *    | Judasoor                       | Jew's ear                            |
| D <i>Auriscalpium vulgare</i>            | oorlepelswam                   | ear-pick fungus; pine-cone tooth     |
| D <i>Battarrea phalloides</i>            | jelliebeurssteelstuiwbal       | desert stalked puff-ball             |
| B <i>Battarea stevenii</i>               | veselbeurssteelstuiwbal        | sand stalked puff-ball               |
| A <i>Bisporella citrina</i>              | geel skotteltjie               | yellow fairy cup                     |
| B <i>Bjerkandera adusta</i>              | grys kruiphoed                 | smoky crust cap                      |
| C <i>Boletus badius</i> *                | bruin boleet                   | chestnut bolete                      |
| A <i>Boletus edulis</i> **               | eetbare boleet; sep            | cep; penny bun                       |
| C <i>Boletus stellenbossiensis</i>       | stellenboschboleet             | stellenbosch bolete                  |
| C <i>Boletus sudanicus</i>               | bosveldboleet                  | bushveld bolete                      |
| B <i>Broomeia congregata</i>             | mieliepitstuiwbal              | mealie-pip puff-ball                 |
| D <i>Calvatia excipuliformis</i> *       | langsteelstuiwbal              | pestle-shaped puff-ball              |
| B <i>Calvatia lilacina</i>               | lila stuiwbal                  | lilac puff-ball                      |
| D <i>Calvatia utriformis</i> *           | netvormstuiwbal                | mosaic puff-ball                     |
| D <i>Cerrena unicolor</i>                | groenalgdoolhofswam            | mossy maze gill                      |
| C <i>Chlorophyllum molybdites</i> †      | groenspoorsambreel             | green-spored parasol                 |
| B <i>Chlorosplenium aeruginascens</i>    | groen houtkomswam              | green wood-cup                       |
| B <i>Chondrostereum purpureum</i>        | persfluweelwam                 | violet crust cap; silver leaf fungus |
| B <i>Clavaria flaccida</i>               | rekkoraalwam                   | elastic coral fungus                 |
| A <i>Clavulina cinerea</i> *             | grys koraalwam                 | grey coral fungus                    |
| B <i>Clavulina cristata</i> *            | wit koraalwam                  | white coral fungus                   |
| D <i>Clitocybe infundibuliformis</i> (*) | slanke tregterswam             | common funnel cap                    |
| B <i>Clitopilus prunulus</i> *           | meulenaar                      | miller                               |
| C <i>Collybia butyracea</i>              | vetterige diksteel             | greasy cap; butter cap               |
| B <i>Collybia dryophila</i> †            | eikeblaarpaddastoel            | oak-loving toadstool                 |
| D <i>Collybia fusipes</i>                | spoelvoet                      | spindle shank                        |
| C <i>Coniophora puteana</i>              | olyfbruin korsswam             | wet-rot fungus                       |
| B <i>Conocybe tenera</i>                 | kaneelkappie                   | brown dunce cap                      |
| C <i>Coprinus atrimentarius</i> (*)      | gladde inkmus                  | common ink cap                       |
| B <i>Coprinus comatus</i> *              | skubbige inkmus; wolhaarinkmus | shaggy ink cap; shaggy mane          |
| B <i>Coprinus disseminatus</i>           | bondelinkmus                   | fairy's bonnet                       |
| B <i>Coprinus micaceus</i> (*)           | glinsterinkmus                 | glistening ink cap                   |
| A <i>Coprinus plicatilis</i>             | geriffelde inkmus              | japanese umbrella                    |
| B <i>Corioloropsis trabea</i>            | dunlamelrakswam                | thin-plated bracket                  |
| A <i>Corioloropsis occidentalis</i>      | leerbruin rakswam              | leathery-brown bracket               |
| A <i>Coriolus hirsutus</i>               | harige rakswam                 | hairy bracket                        |
| B <i>Coriolus pubescens</i>              | fluweelrakswam                 | velvet bracket                       |
| A <i>Coriolus versicolor</i>             | reënboograkswam; elwebankie    | varicoloured bracket; turkey-tail    |
| B <i>Coriolus zonatus</i>                | bulterige rakswam              | gibbous bracket                      |
| B <i>Corticium portentosum</i>           | wit korsswam                   | white crust                          |
| D <i>Cortinarius multiformis</i> *       | kleefhoed                      | glue cap                             |
| D <i>Crepidotis applanatus</i>           | wit skulpieswam                | white shell fan                      |
| D <i>Crepidotis mollis</i>               | jellieskulpieswam              | jelly shell fan                      |
| D <i>Crucibulum laeve</i>                | witeiervoëlnesswam             | white-egg bird's nest fungus         |
| B <i>Cyathus olla</i>                    | gladde voëlnesswam             | grey-egg bird's nest fungus          |
| A <i>Cyathus pallidus</i>                | harige voëlnesswam             | hairy bird's nest fungus             |
| B <i>Cyathus stercoreus</i>              | donker voëlnesswam             | black-egg bird's nest fungus         |
| B <i>Daedalia eatoni</i>                 | Eaton se doolhofswam           | Eaton's maze gill                    |
| C <i>Daedalia quercina</i>               | eikedoolhofswam                | oak maze gill                        |

| Voorkoms/Wetenskaplike naam           | Afrikaanse naam        | Engelse naam                        |
|---------------------------------------|------------------------|-------------------------------------|
| C <i>Daedaliopsis confragosa</i>      | rooiporierakswam       | blushing bracket; red-pored bracket |
| A <i>Daldinia concentrica</i>         | houtknoetsswam         | cramp ball                          |
| B <i>Dictyophora indusiata</i>        | gesluerde stinkhoring  | veiled stinkhorn                    |
| D <i>Duportella tristicula</i>        | fluweelbruin korsswam  | velvet-brown crust                  |
| B <i>Exidia glandulosa</i>            | swart jellieswam       | witches butter                      |
| C <i>Favolus brasiliensis</i>         | gesteelde poriewaaier  | stalked-fan polypore                |
| C <i>Flammulina velutipes</i> *       | fluweelpootjie         | velvet shank                        |
| D <i>Fomes fomentarius</i>            | tontelswam             | tinderwood fungus                   |
| B <i>Fomes geotropus</i>              | wit rakswam            | white bracket                       |
| B <i>Fomes lividus</i>                | swart rakswam          | black bracket                       |
| D <i>Fomitopsis pinicola</i>          | rooirandrakswam        | red-rimmed bracket                  |
| B <i>Furalia leonina</i>              | borselrakswam          | bristly bracket                     |
| D <i>Galerina mutabilis</i>           | klein bondelswam       | changing cluster fungus             |
| A <i>Ganoderma applanatum</i>         | paletswam              | artist's palette                    |
| A <i>Ganoderma lucidum</i>            | oranjebruin vernisswam | orange-brown lacquered bracket      |
| C <i>Ganoderma resinaceum</i>         | donkerbruin vernisswam | dark-brown lacquered bracket        |
| B <i>Geastrum ambiguum</i>            | sand-aardster          | sand earth star                     |
| B <i>Geastrum coronatum</i>           | donker aardster        | dark earth star                     |
| B <i>Geastrum floriforme</i>          | aster-aardster         | daisy earth star                    |
| B <i>Geastrum fornicatum</i>          | vierpuntaardster       | arched earth star                   |
| C <i>Geastrum nanum</i>               | dwergaardster          | dwarf earth star                    |
| A <i>Geastrum saccatum</i>            | viltige aardster       | felted earth star                   |
| B <i>Geastrum triplex</i>             | gekraagde aardster     | collared earth star                 |
| B <i>Gloeoporus dichrous</i>          | wasporieswam           | waxy-pore fungus                    |
| D <i>Gymnopilus junonius</i>          | pragbondelswam         | orange tuft                         |
| D <i>Gymnopilus penetrans</i>         | gladde dennevlam       | small pine cap                      |
| D <i>Gymnopilus sapineus</i>          | harige dennevlam       | bitter pine cap                     |
| B <i>Hebeloma crustuliniforme</i> †   | radyswam               | poison pie                          |
| C <i>Helvella lacunosa</i> (*)        | swartplooihoed         | elfin saddle                        |
| D <i>Hericium coralloides</i> (*)     | koraalstekelswam       | coral tooth                         |
| C <i>Hexagona speciosa</i>            | groot heuningkoekswam  | large honeycomb bracket             |
| B <i>Hexagona tenuis</i>              | dunhoedheuningkoekswam | thin-cap honeycomb bracket          |
| D <i>Hygrocybe coccinea</i> *         | skarlaken waslamel     | scarlet wax gill                    |
| C <i>Hygrocybe nigrescens</i>         | verkoolwaslamel        | blackening wax gill                 |
| D <i>Hygrocybe nivea</i> *            | sneeuwit waslamel      | snowy wax gill                      |
| B <i>Hypholoma fasciculare</i>        | swawelkop              | sulphur tuft                        |
| D <i>Inocybe eutheles</i> †           | skildknopswam          | umbo toadstool                      |
| B <i>Irpex flavus</i>                 | geel stekelswam        | yellow-toothed crust                |
| D <i>Irpex lacteus</i>                | melkwit stekelswam     | milk-white toothed crust            |
| C <i>Itajahya galericulata</i>        | jakarandastinkhoring   | jacaranda stinkhorn                 |
| B <i>Kalchbrennera corralocephala</i> | koraaltopstinkhoring   | coral-top stinkhorn                 |
| B <i>Laccaria laccata</i> *           | verkulswam             | deceiver                            |
| C <i>Lactarius deliciosus</i> *       | oranje melkswam        | saffron milk cap                    |
| D <i>Lactarius piperatus</i>          | pepermelkswam          | peppery milk cap                    |
| B <i>Laetiporus sulphureus</i> *      | swawelrakswam          | sulphur shelf; chicken of the woods |
| D <i>Langermannia gigantea</i> (*)    | reusestuifbal          | giant puff-ball                     |
| B <i>Leccinum diriusculum</i> *       | populierboleet         | poplar bolete                       |
| D <i>Lentinus lecomtei</i>            | harige houtswam        | hairy wood cap                      |
| C <i>Lentinus lepideus</i>            | skubbige houtswam      | scaly wood cap                      |
| B <i>Lentinus sajor-caju</i>          | tregerthoutswam        | funnel wood cap                     |
| B <i>Lentinus stippeus</i>            | bloekomhoutswam        | bluegum wood cap                    |
| B <i>Lentinus velutinus</i>           | fluweelhoutswam        | velvet wood cap                     |

| Voorkoms/Wetenskaplike naam       | Afrikaanse naam     | Engelse naam                   |
|-----------------------------------|---------------------|--------------------------------|
| A <i>Lenzites palisoti</i>        | bruin rakswam       | elegant bracket                |
| B <i>Lepiota cristata</i>         | stinksambreel       | stinking parasol               |
| B <i>Lepiota excoriata</i> *      | klein sambreel      | tiny parasol                   |
| B <i>Lepiota leucothites</i> *    | gladde sambreel     | smooth parasol                 |
| B <i>Lepiota procera</i> **       | groot sambreel      | tall parasol                   |
| D <i>Lepiota rhacodes</i> *       | oranje melksambreel | shaggy parasol                 |
| C <i>Lepiota zeyheri</i> *        | wit sambreel        | white parasol                  |
| D <i>Lepista nuda</i> (*)         | pers ridderswam     | wood blewit                    |
| D <i>Lepista saeva</i> *          | groot perssteel     | field blewit; blue-leg         |
| D <i>Lopharia mirabilis</i>       | kruipestekelswam    | comb tooth                     |
| B <i>Lycoperdon djurense</i>      | growwe stuifbal     | rough puff-ball                |
| D <i>Lycoperdon perlatum</i> *    | pêrelstuifbal       | gem-studded puff-ball          |
| B <i>Lycoperdon polymorphum</i>   | meelstuifbal        | flour puff-ball                |
| B <i>Lycoperdon pusillum</i>      | klein stuifbal      | small puff-ball                |
| B <i>Lysurus gardneri</i>         | varkklou            | lizard's claw                  |
| B <i>Marasmius androsaceus</i>    | haarsteelswam       | horse-hair fungus              |
| C <i>Marasmius oreades</i> (*)    | grasstoeltjie       | fairy-ring mushroom            |
| C <i>Marasmius rotula</i>         | wieletjie           | little pin-wheel               |
| D <i>Marasmius scorodionius</i>   | knoffelswam         | garlic fungus                  |
| D <i>Marasmius siccus</i>         | oranje wiel         | orange pin-wheel               |
| C <i>Merulius corium</i>          | papierswam          | paper fungus                   |
| D <i>Merulius tremellosus</i>     | oranje trilkors     | trembling crust                |
| B <i>Montagnites candollei</i>    | langsteelinkswam    | long-stemmed ink cap           |
| D <i>Mycena acicula</i>           | oranje kappie       | orange bonnet                  |
| B <i>Mycena aetites</i> *         | grys kappie         | grey bonnet                    |
| D <i>Mycena alcalina</i>          | ammoniumkappie      | acid bonnet                    |
| D <i>Mycena galericulata</i> *    | helmkappie          | peaked bonnet                  |
| B <i>Mycena vibecina</i>          | geelgrys kappie     | yellow-grey bonnet             |
| D <i>Mycena vulgaris</i>          | dennenaaldkappie    | pine-needle bonnet             |
| B <i>Mycenastrum corium</i>       | rolstuifbal         | rolling puff-ball              |
| B <i>Myriostoma coliformis</i>    | peperbus            | pepper pot                     |
| D <i>Omphalina ericetorum</i>     | veentregtertjie     | peat funnel                    |
| D <i>Omphalotus olearius</i> †    | vals chantarelle    | copper trumpet; lantern funnel |
| B <i>Oudemansiella radicata</i>   | wortelstoeltjie     | rooting shank                  |
| B <i>Oxyporus populinus</i>       | gryswit rakswam     | small hoof bracket             |
| D <i>Panaeolus ater</i>           | sambreelvleklamel   | parasol mottle gill            |
| D <i>Panaeolus campanulatus</i> † | klokveklamel        | bell-shaped mottle gill        |
| C <i>Panaeolus papilionaceus</i>  | barsveklamel        | cracked mottle gill            |
| C <i>Panaeolus semiovatus</i>     | halfeiermisswam     | semi-ovate dung head           |
| C <i>Panaeolina foenicicii</i> †  | graskappie          | haymaker's cap                 |
| D <i>Panellus stipticus</i>       | bitter waaierswam   | lantern fan                    |
| D <i>Panus rudis</i>              | harige waaierswam   | rough fan                      |
| C <i>Panus torulosus</i>          | taai waaierswam     | leathery fan                   |
| D <i>Paxillus involutus</i> †     | gesteelde krulsoom  | stalked roll-rim               |
| C <i>Paxillus panuoides</i>       | steellose krulsoom  | stalkless roll-rim             |
| B <i>Peziza ammophila</i>         | sandbekerswam       | sand cup fungus                |
| D <i>Phaeolus schweinitzii</i>    | dennevoetswam       | yellow-rimmed velvet top       |
| B <i>Phallus rubicundus</i>       | geel stinkhoring    | yellow stinkhorn               |
| A <i>Phellinus gilvus</i>         | geelbruin rakswam   | golden bracket                 |
| D <i>Phellinus igniarius</i>      | perdehoefrakswam    | horse's hoof bracket           |
| A <i>Phellinus rimosus</i>        | barsrakswam         | cracked bracket                |
| C <i>Phellorina inquinans</i>     | peerstuifbal        | scaly puff-ball                |

| Voorkoms/Wetenskaplike naam          | Afrikaanse naam                     | Engelse naam                 |
|--------------------------------------|-------------------------------------|------------------------------|
| B <i>Phellorina strobilina</i>       | dennebolstuifbal                    | warted puff-ball             |
| D <i>Pholiota aurivella</i> (*)      | varkleerbondelswam                  | golden cluster fungus        |
| B <i>Piptoporus betulinus</i>        | grysbruin rakswam                   | razor-strop bracket          |
| B <i>Pisolithus arhizus</i>          | kleursnuifbal; vals stuifbal        | dye ball; false puff-ball    |
| C <i>Pleurotus ostreatus</i> **      | oestersampioen                      | oyster mushroom              |
| D <i>Pluteus cervinus</i> (*)        | damhertveselhoed                    | deer mushroom                |
| A <i>Podaxis pistillaris</i>         | slangkop                            | false ink cap                |
| B <i>Podabrella microcarpa</i> *     | termietnesstoeltjie                 | termite-nest mushroom        |
| B <i>Polyporus arcularius</i>        | grootporie-tregterswam              | large-pored funnel cap       |
| B <i>Polyporus badius</i>            | groot swartvoettregter              | black-footed funnel cap      |
| C <i>Polyporus sacer</i>             | olyfbruin tregterswam               | olive-brown funnel cap       |
| D <i>Polyporus varius</i>            | klein swartvoettregter              | elegant funnel cap           |
| B <i>Poronia punctata</i>            | gespikkelde perdemisswam            | speckled horse-manure fungus |
| D <i>Psathyrella candolleana</i> *   | bleekbruin sluierhoed               | two-tone veil cap            |
| D <i>Psathyrelle hydrophylla</i>     | donkerbruin sluierhoed              | clustered veil cap           |
| B <i>Pseudophaeolus baudonii</i>     | bloekomvoetswam                     | orange-yellow rough top      |
| D <i>Pseudotrametes gibbosa</i>      | wit bultswam                        | white cork polypore          |
| D <i>Psilocybe semilanceata</i> †    | vingerhoedswam                      | liberty cap                  |
| C <i>Pulchericium caeruleum</i>      | fluweelbloukorsswam                 | velvet blue crust            |
| D <i>Punctularia strigosa-zonata</i> | rooiaarkorsswam                     | blood-veined crust           |
| C <i>Pycnoporus coccineus</i>        | dikhoedrooirakswam                  | subtropical cinnabar bracket |
| A <i>Pycnoporus sanguineus</i> †     | dunhoedrooirakswam                  | tropical cinnabar bracket    |
| C <i>Resupinatus applicatus</i>      | jellieoesterswam                    | black jelly oyster           |
| C <i>Rhizina undulata</i>            | dennevuurswam                       | pine fire fungus             |
| C <i>Rhizopogon luteolus</i>         | bruingeel vals truffel              | pale-brown false truffle     |
| C <i>Rizopogon rubescens</i>         | pienkgeel vals truffel              | reddish false truffle        |
| B <i>Russula capensis</i> *          | witsteelduikhoed                    | white-stemmed russula        |
| D <i>Russula cyanoxantha</i> *       | reënboogduikhoed                    | rainbow russula              |
| B <i>Russula sardonia</i>            | perssteelduikhoed                   | purple-stemmed russula       |
| B <i>Schizophyllum commune</i>       | waaiertjie                          | split-gill fungus            |
| C <i>Schizopora paradoxa</i>         | wit plakkaatswam                    | split-pore fungus            |
| A <i>Scleroderma cepa</i>            | bobbejaansnuif                      | smooth earth-ball            |
| B <i>Scleroderma citrinum</i> †      | vrattjiesnuifbal                    | pig-skin earth ball          |
| B <i>Scleroderma flavidum</i>        | okergeel snuifbal                   | ochre-yellow earth-ball      |
| B <i>Scleroderma verrucosum</i>      | ertappelsnuifbal; aartappelsnuifbal | scaly earth-ball             |
| C <i>Serpula lachrymans</i>          | huisswam                            | dry-rot fungus               |
| B <i>Stereum affine</i>              | waaiersteelkruiphoed                | stalked crust cap            |
| B <i>Stereum australe</i>            | rooibruin kruiphoed                 | bleeding crust cap           |
| B <i>Stereum bicolor</i>             | ligbruin gerande kruiphoed          | light-rimmed crust cap       |
| A <i>Stereum hirsutum</i>            | harige kruiphoed                    | hairy crust cap              |
| B <i>Stereum ostrea</i>              | vals elwebankie                     | false turkey-tail            |
| B <i>Stereum schomburgkii</i>        | ringkeepkruiphoed                   | furrowed crust cap           |
| B <i>Stereum umbrinum</i>            | persbruin kruiphoed                 | purple-brown crust cap       |
| D <i>Stropharia coronilla</i>        | vals veldsampoien                   | garland mushroom             |
| D <i>Stropharia semiglobata</i>      | koepelmiswam                        | dung roundhead               |
| B <i>Suillus bellinii</i> *          | denneboleet                         | pine bolete                  |
| B <i>Suillus bovinus</i> (*)         | koeiboleet                          | cow bolete                   |
| A <i>Suillus granulatus</i> *        | melkboleet                          | granular-stalk bolete        |
| C <i>Suillus grevillei</i> (*)       | lorkeboleet                         | larch bolete                 |
| B <i>Suillus luteus</i> *            | goudgeel boleet                     | slippery jack                |
| B <i>Thelephora terrestris</i>       | fraiingswam                         | earth fan                    |
| B <i>Termitomyces umkwaanii</i> *    | i'kowa                              | beefsteak mushroom           |

| Voorkoms/Wetenskaplike naam       | Afrikaanse naam        | Engelse naam                        |
|-----------------------------------|------------------------|-------------------------------------|
| A <i>Trametes cingulata</i>       | witrandkurkporieswam   | black cork polypore                 |
| B <i>Trametes meyenii</i>         | groot kurkporieswam    | large cork polypore                 |
| A <i>Trametes proteus</i>         | bruin kurkporieswam    | brown cork polypore                 |
| C <i>Tremella mesenterica</i> (*) | geel jellieswam        | golden jelly                        |
| D <i>Trichoglossum hirsutum</i>   | fluweelaardtong        | velvety earth tongue                |
| B <i>Tricholoma albobrunneum</i>  | denneridderswam        | brown knightly mushroom             |
| D <i>Tricholoma album</i>         | wit ridderswam         | white knightly mushroom             |
| D <i>Tricholoma gambosum</i> **   | ivoorridderswam        | St. George's mushroom               |
| B <i>Tricholoma saponaceum</i>    | seepswam               | soap-scented toadstool              |
| C <i>Tulostoma brumale</i>        | gladgesteelde stuifbal | smooth-stalked puff-ball            |
| D <i>Tyromyces caesius</i>        | grysbloou sponsswam    | blue-cheese polypore                |
| D <i>Tyromyces fragilis</i>       | geelwit sponsswam      | white-cheese polypore               |
| C <i>Ustulina deusta</i>          | grys kussinkie         | carbon cushion                      |
| A <i>Vascellum pratense</i> *     | oueltjie; wit stuifbal | common puff-ball                    |
| B <i>Verpa conica</i> (*)         | spits morille          | conical morel                       |
| B <i>Volvariella speciosa</i> (*) | skynamaniet            | rose-gilled grisette                |
| D <i>Volvariella volvacea</i> **  | rysstrooisampioen      | paddy-straw mushroom                |
| B <i>Xylaria arbuscula</i>        | gestreepte knuppelswam | striated wood club                  |
| D <i>Xylaria castorea</i>         | bruin knuppelswam      | wrinkled wood club                  |
| C <i>Xylaria hypoxylon</i>        | takbokgeweisswam       | stag's horn; candle-snuff fungus    |
| A <i>Xylaria nigripes</i>         | termietnesknuppelswam  | termite-nest club fungus            |
| B <i>Xylaria polymorpha</i>       | swart knuppelswam      | devil's fingers; dead-man's fingers |

#### Indeks van Afrikaanse name

aartappelsnuifbal (*Scleroderma verrucosum*)

ammoniumkappie (*Mycena alcalina*)

aster-aardster (*Geastrum floriforme*)

barsrakswam (*Phellinus rimosus*)

barsvleklamel (*Panaeolus papilionaceus*)

baskappie (*Mycena corticola*)

bitter waaierswam (*Panellus stipticus*)

bleekbruin sluierhoed (*Psathyrella candolleana*)

bloekomhoutswam (*Lentinus stippeus*)

bloekomvoetswam (*Pseudophaeolus baudonii*)

bobbejaansnuif (*Scleroderma cepa*)

bondelinkmus (*Coprinus disseminatus*)

borselrakswam (*Furalia leonina*)

bosveldboleet (*Boletus sudanicus*)

bruin boleet (*Boletus badius*)

bruingeel vals truffel (*Rhizopogon luteolus*)

bruin knuppelswam (*Xylaria castorea*)

bruin kurkporieswam (*Trametes proteus*)

bruin rakswam (*Lenzites palisoti*)

bruin steelporieswam (*Amauroderma rugosum*)

bulterige rakswam (*Coriolus zonatus*)

damhertveselhoed (*Pluteus cervinus*)

denneboleet (*Suillus beltinii*)

dennebolstuifbal (*Phellorina strobilina*)

dennenaaldkappie (*Mycena vulgaris*)

denneridderswam (*Tricholoma albobrunneum*)

dennevoetswam (*Phaeolus schweinitzii*)

dennevuurswam (*Rhizina undulata*)

dikhoedrooirakswam (*Pycnoporus coccineus*)

donker aardster (*Geastrum coronatum*)

donkerbruin sluierhoed (*Psathyrella hydrophylla*)

donkerbruin vernisswam (*Ganoderma resinaceum*)

donker voëlnesswam (*Cyathus stercorius*)

dunhoedheuningkoekswam (*Hexagona tenuis*)

dunhoedrooirakswam (*Pycnoporus sanguineus*)

dunlamelrakswam (*Coriolopsis trabea*)

dwergaardster (*Geastrum nanum*)

Eaton se doolhofswam (*Daedalia eatonii*)

eetbare boleet (*Boletus edulis*)

eikeblaarpaddastoel (*Collybia dryophila*)

eikedoolhofswam (*Daedalia quercina*)

ertappelstuifbal (*Scleroderma verrucosum*)

fluweelaardtong (*Trichoglossum hirsutum*)

fluweelbloukorsswam (*Pulchericium caerulium*)

fluweelbruinkorsswam (*Duportella tristicula*)

fluweelpootjie (*Flammula velutipes*)

fluweelhoutswam (*Lentinus velutinus*)

fluweelpootjie (*Flammula velutipes*)

fluweelrakswam (*Coriolus pubescens*)

fraiingswam (*Thelephora terrestris*)

geelbruin rakswam (*Phellinus gilvus*)

geelgrys kappie (*Mycena vibecina*)

geelhoedamaniet (*Amanita citrina*)

geel jellieswam (*Trametes mesentericus*)

geel skotteltjie (*Bisporella citrina*)

geel stekelswam (*Irpex flavus*)

geel stinkhoring (*Phallus rubicundus*)

geelvlekpaddastoel (*Agaricus xanthodermis*)

geelwit sponsswam (*Tyromyces fragilis*)

gegolfde grondporieswam (*Albatrellus cristatus*)

gekraagde aardster (*Geastrum triplex*)

- geriffelde inkmus (*Coprinus plicatilis*)  
 gesluerde stinkhoring (*Dictyophora indusiata*)  
 gespikkelde perdemisswam (*Poronia punctata*)  
 gesteelde krulsoom (*Paxillus involutus*)  
 gesteelde poriewaaierswam (*Favolus brasiliensis*)  
 gestreepte knuppelswam (*Xylaria arbuscula*)  
 gifbekeramaniet (*Amanita phalloides*)  
 gladde bossampioen (*Agaricus silvicola*)  
 gladde dennevlam (*Gymnopilus penetrans*)  
 gladde inkmus (*Coprinus atramentarius*)  
 gladde sambreel (*Lepiota leucothites*)  
 gladde steelstuiwbal (*Tulostoma brumale*)  
 gladde voëlnesswam (*Cyathus olla*)  
 glinsterinkmus (*Coprinus micaceus*)  
 goudegeel boleet (*Suillus luteus*)  
 graskappie (*Panaeolina foenisecii*)  
 graskoepeltjie (*Agrocybe pediades*)  
 grasstoeltjie (*Marasmius oreades*)  
 groenalgdoolhofswam (*Cerrena unicolor*)  
 groen houtkomsam (*Chlorosplenium aeruginascens*)  
 groenspoorsambreel (*Chlorophyllum molybdites*)  
 groot kurkporieswam (*Trametes meyenii*)  
 groot heuningkoekswam (*Hexagona speciosa*)  
 groot perssteel (*Lepista saeva*)  
 grootporie-tregterswam (*Polyporus arcularius*)  
 groot sambreel (*Lepiota procera*)  
 groot swartvoettregter (*Polyporus badius*)  
 growwe stuiwbal (*Lycoperdon djurense*)  
 grysbloou sponsswam (*Tyromyces caesius*)  
 grysbreun rakswam (*Piptoporus betulinus*)  
 gryskappie (*Mycena aetites*)  
 gryskoraalswam (*Clavulina cinerea*)  
 gryskruiphoe (*Bjerkandera adusta*)  
 gryskussinkie (*Ustulina deusta*)  
 gryswit rakswam (*Oxyporus populinus*)
- haarsteelswam (*Marasmius androsaceus*)  
 halfeiermisswam (*Panaeolus semiovatus*)  
 harige dennevlam (*Gymnopilus sapineus*)  
 harige houtswam (*Lentinus lecomtei*)  
 harige kruiphoe (*Stereum hirsutum*)  
 harige rakswam (*Coriolus hirsutus*)  
 harige voëlnesswam (*Cyathus pallidus*)  
 harige waaierswam (*Panus rudis*)  
 helmkappie (*Mycena galericulata*)  
 heuningswam (*Armillariella mellea*)  
 houtknoetsswam (*Daldinia concentrica*)  
 huiswam (*Serpula lachrymans*)
- i'kowa (*Termitomyces umkowsanii*)  
 inkvisstinkhoring (*Anthurus archeri*)  
 ivoorridderswam (*Tricholoma gambosum*)
- jakarandastinkhoring (*Itajahya galericulata*)  
 jellieoesterswam (*Resupinatus applicatus*)  
 jelliebeurssteelstuiwbal (*Battarrea phalloides*)  
 jellieskulpieswam (*Crepidotus mollis*)  
 Judasoor (*Auricularia auricula-judae*)
- kaneelkappie (*Conocybe tenera*)  
 kleefhoe (*Cortinarius multiformis*)  
 klein bondelswam (*Galerina mutabilis*)  
 klein sambreel (*Lepiota excoriata*)
- klein stuiwbal (*Lycoperdon pusillum*)  
 klein swartvoettregter (*Polyporus varius*)  
 kleursnuiwbal (*Pisolithus arhizus*)  
 klokvleklamel (*Panaeolus campanulatus*)  
 knoffelswam (*Marasmius scorodoni*)  
 koeiboleet (*Suillus bovinus*)  
 koepelmissampioen (*Stropharia semiglobata*)  
 koraalstekelswam (*Hericium coralloides*)  
 koraaltopstinkhoring (*Kalchbrennera corallocephala*)  
 korrelstuiwbal (*Arachnion album*)  
 kruipstekelswam (*Lopharia mirabilis*)
- langsteelinkswam (*Montagnites candollei*)  
 langsteelstuiwbal (*Calvatia excipuliformis*)  
 leerbruin rakswam (*Coriolopsis occidentalis*)  
 ligbruin gerande kruiphoe (*Stereum bicolor*)  
 lila stuiwbal (*Calvatia lilacina*)  
 lorkeboleet (*Suillus grevillea*)
- meelstuiwbal (*Lycoperdon polymorphum*)  
 melkboleet (*Suillus granulatus*)  
 melkwit stekelswam (*Irpex lacteus*)  
 meulenaar (*Clitopilus prunulus*)  
 mieliepitstuiwbal (*Broomeia congregata*)  
 netvormstuiwbal (*Calvatia utriformis*)
- oesterswam (*Pleurotus ostreatus*)  
 okergeel snuiwbal (*Scleroderma flavidum*)  
 olyfbruin korsswam (*Coniophora puteana*)  
 olyfbruin tregterswam (*Polyporus sacer*)  
 oorlepelswam (*Auriscalpium vulgare*)  
 oranjebruin vernisswam (*Ganoderma lucidum*)  
 oranje melkswam (*Lactarius deliciosus*)  
 oranje melksambreel (*Lepiota rhacodes*)  
 oranje kappie (*Mycena acicula*)  
 oranje trilcors (*Merulius tremellosa*)  
 oranje wiel (*Marasmius saccus*)  
 oueltjie (*Vascellum pratense*)
- paletswam (*Ganoderma applanatum*)  
 papierswam (*Merulius corium*)  
 peerstuiwbal (*Phellorina inquinans*)  
 peperbus (*Myriostoma coliformis*)  
 pepermelkswam (*Lactarius piperatus*)  
 perdehoefrakswam (*Phellinus ignarius*)  
 perdesampioen (*Agaricus arvensis*)  
 pêrelstuiwbal (*Lycoperdon perlatum*)  
 persbruin kruiphoe (*Stereum umbrinum*)  
 pers fluweelswam (*Chondrostereum purpureum*)  
 pers ridderswam (*Lepista nuda*)  
 perssteelduikhoe (*Russula sardonia*)  
 pienkgeel vals truffel (*Rhizopogon rubescens*)  
 populierboleet (*Leccinum diriusculum*)  
 pragbondelswam (*Gymnopilus junonius*)
- radyswam (*Hebeloma crustuliniforme*)  
 reënboogduikhoe (*Russula cyanoxantha*)  
 reënboograkswam (*Coriolus versicolor*)  
 rekkoraalswam (*Clavaria flaccida*)  
 reusestuiwbal (*Langermannia gigantea*)  
 ringkeepkruiphoe (*Stereum schomburgkii*)  
 rolstuiwbal (*Mycenastrum corium*)  
 rooiaarkorsswam (*Punctularia strigosa-zonata*)

rooibruin kruiphoed (*Stereum australe*)  
 rooihoedamaniet (*Amanita muscaria*)  
 rooiporierakswam (*Daedaliopsis confragosa*)  
 rooirandrakswam (*Fomitopsis pinicola*)  
 room korsswam (*Asterostromella diriuscula*)  
 rystrooisampioen (*Volvariella volvacea*)

sambreelvlaklamel (*Panaeolus ater*)  
 sand-aardster (*Geastrum ambiguum*)  
 sanbekerswam (*Peziza ammophila*)  
 seepswam (*Tricholoma saponaceum*)  
 skarlaken waslamel (*Hygrocybe coccinea*)  
 skildknopswam (*Inocybe eutheles*)  
 skubbige bossampioen (*Agaricus silvaticus*)  
 skubbige houtswam (*Lentinus lepideus*)  
 skubbige inkmus (*Coprinus comatus*)  
 skynamaniet (*Volvariella speciosa*)  
 slangkop (*Podaxis pistillaris*)  
 slanke tregterswam (*Clitocybe infundibuliformis*)  
 sneeuwit waslamel (*Hygrocybe nivea*)  
 spits morille (*Verpa conica*)  
 spoelvoet (*Collybia fusipes*)  
 steellose krulsoom (*Paxillus panuoides*)  
 stellenboschboleet (*Boletus stellenbossiensis*)  
 sterkstinkhoring (*Aseroë rubra*)  
 stinksambreel (*Lepiota cristata*)  
 swart jellieswam (*Exidia glandulosa*)  
 swart knuppelswam (*Xylaria polymorpha*)  
 swart plooihoed (*Helvella lacunosa*)  
 swart rakswam (*Fomes lividus*)  
 swawelkop (*Hypholoma fasciculare*)  
 swawelrakswam (*Laetiporus sulphureus*)

taai waaierswam (*Panus torulosus*)  
 takbokgeweisswam (*Xylaria hypoxylon*)  
 termietnesknuppelswam (*Xylaria nigripes*)  
 termietnesstoeltjie (*Podabrella microcarpa*)  
 tieramaniet (*Amanita pantherina*)  
 tontelswam (*Fomes fomentarius*)  
 tregterhoutswam (*Lentinus sajor-caju*)

vals chantarelle (*Omphalotus olearius*)  
 vals elwebankie (*Sterium ostrea*)  
 vals stuifbal (*Pisolithus arhizus*)  
 vals tieramaniet (*Amanita rubescens*)  
 vals veldsampoien (*Stropharia coronilla*)  
 varkklou (*Lyssurus gardneri*)  
 varkleerbondelswam (*Pholiota aurivella*)  
 veentregtertjie (*Omphalina ericetorum*)  
 veldsampoien (*Agaricus campestris*)  
 verkoolwaslamel (*Hygrocybe nigrescens*)  
 verkulswam (*Laccaria laccata*)  
 veselbeurssteelstuifbal (*Battarrea stevenii*)  
 vetterige diksteel (*Collybia butyracea*)  
 vierpuntaardster (*Geastrum fornicatum*)  
 viltige aardster (*Geastrum saccatum*)  
 vingerhoedswam (*Psilocybe semilanceata*)  
 vlieëgifswam (*Amanita muscaria*)  
 vratjiesnuifbal (*Scleroderma citrinum*)

waaiersteelkruiphoed (*Stereum affine*)  
 waaiertjie (*Schizophyllum commune*)  
 wasporieswam (*Gloeoporus dichrous*)  
 wieletjie (*Marasmius rotula*)

wit bultswam (*Pseudotrametes gibbosa*)  
 witeiervoëlnesswam (*Crucibulum laeve*)  
 withoedamaniet (*Amanita solitaria*)  
 wit koraalswam (*Clavulina cristata*)  
 wit korsswam (*Corticium portentosum*)  
 wit plakaatswam (*Schizophora paradoxa*)  
 wit rakswam (*Fomes geotropus*)  
 witrandskurkporieswam (*Trametes cingulata*)  
 wit ridderswam (*Tricholoma album*)  
 wit sambreel (*Lepiota zeyheri*)  
 wit skulpieswam (*Crepidotis applanatus*)  
 witsteelduikhoed (*Russula capensis*)  
 wit stuifbal (*Vascellum pratense*)  
 wolhaarinkmus (*Coprinus comatus*)  
 wortelstoeltjie (*Oudemansiella radicata*)

### Indeks van Engelse name

acid bonnet (*Mycena alcalina*)  
 arched earth star (*Geastrum fornicatum*)  
 artist's palette (*Ganoderma applanatum*)  
 bark bonnet (*Mycena corticola*)  
 beefsteak mushroom (*Termitomyces umkowaanii*)  
 bell-shaped mottle gill (*Panaeolus campanulatus*)  
 bitter pine cap (*Gymnopilus sapineus*)  
 black bracket (*Fomes lividus*)  
 black cork polypore (*Trametes cingulata*)  
 black jelly oyster (*Resupinatus applicatus*)  
 black-egg bird's nest fungus (*Cyathus stercoreus*)  
 blackening wax gill (*Hygrocybe nigrescens*)  
 black-footed funnel cap (*Polyporus badius*)  
 bleeding crust cap (*Stereum australe*)  
 blood-veined crust (*Punctularia strigosa-zonata*)  
 blue-cheese polypore (*Tyromyces caesius*)  
 bluegum wood cap (*Lentinus stippeus*)  
 blue-leg (*Lepista saeva*)  
 blusher (*Amanita rubescens*)  
 blushing bracket (*Daedaliopsis confragosa*)  
 bootlace fungus (*Armillariella mellea*)  
 bristly bracket (*Furalia leonina*)  
 brown cork polypore (*Trametes proteus*)  
 brown dunce cap (*Conocybe tenera*)  
 brown knightly mushroom (*Tricholoma albobrunneum*)  
 brown stalked polypore (*Amauroderma rugosum*)  
 bushveld bolete (*Boletus sudanicus*)  
 butter cap (*Collybia butyracea*)  
 candle-snuff fungus (*Xylaria hypoxylon*)  
 carbon cushion (*Ustulina deusta*)  
 cep (*Boletus edulis*)  
 changing cluster fungus (*Galerina mutabilis*)  
 chestnut bolete (*Boletus badius*)  
 chicken of the woods (*Laetiporus sulphureus*)  
 clustered veil cap (*Psathyrella hydrophila*)  
 collared earth star (*Geastrum triplex*)  
 comb tooth (*Lopharia mirabilis*)  
 common funnel cap (*Clitocybe infundibuliformis*)  
 common ink cap (*Coprinus atrimentarius*)  
 common puff-ball (*Vascellum pratense*)  
 conical morel (*Verpa conica*)  
 copper trumpet (*Omphalotus olearius*)



- coral tooth (*Hericium coralloides*)  
 coral-top stinkhorn (*Kalchbrennera corralocephala*)  
 cow bolete (*Suillus bovinus*)  
 cracked mottle gill (*Panaeolus papilionaceus*)  
 cracked bracket (*Phellinus rimosus*)  
 cramp ball (*Daldinia concentrica*)  
 creamy white crust (*Asterostromella diriuscula*)  
 crested ground polypore (*Albatrellus cristatus*)
- daisy earth star (*Geastrum floriforme*)  
 dark earth star (*Geastrum coronatum*)  
 dark-brown lacquered bracket (*Ganoderma resinaceum*)  
 death cap (*Amanita phalloides*)  
 deceiver (*Laccaria laccata*)  
 deer mushroom (*Pluteus cervinus*)  
 desert stalked puff-ball (*Battarrea phalloides*)  
 devil's fingers (*Xylaria polymorpha*)  
 dry-rot fungus (*Serpula lachrymans*)  
 dung roundhead (*Stropharia semiglobata*)  
 dwarf earth star (*Geastrum nanum*)  
 dye-ball (*Pisolithus arhizus*)
- ear-pick fungus (*Auriscalpium vulgare*)  
 earth fan (*Thelephora terrestris*)  
 Eaton's maze gill (*Daedalia eatoni*)  
 elastic coral fungus (*Clavaria flaccida*)  
 elegant bracket (*Lenzites palisoti*)  
 elegant funnel cap (*Polyporus varius*)  
 elfin saddle (*Helvella lacunosa*)
- fairy's bonnet (*Coprinus disseminatus*)  
 fairy-ring mushroom (*Marasmius oreades*)  
 false death cap (*Amanita citrina*)  
 false ink cap (*Podaxis pistillaris*)  
 false puff-ball (*Pisolithus arhizus*)  
 false turkey-tail (*Stereum ostrea*)  
 felted earth star (*Geastrum saccatum*)  
 field blewit (*Lepista saeva*)  
 field mushroom (*Agaricus campestris*)  
 flour puff-ball (*Lycoperdon polymorphum*)  
 fly agaric (*Amanita muscaria*)  
 funnel wood cap (*Lentinus sajor-caju*)  
 furrowed crust cap (*Stereum schomburgkii*)
- garland mushroom (*Stropharia coronilla*)  
 garlic fungus (*Marasmius scorodonius*)  
 gem-studded puff-ball (*Lycoperdon perlatum*)  
 giant puff-ball (*Langermannia gigantea*)  
 gibbous bracket (*Coriolus zonatus*)  
 glistening ink cap (*Coprinus micaceus*)  
 glue cap (*Cortinarius multiformis*)  
 golden bracket (*Phellinus gilvus*)  
 golden cluster fungus (*Pholiota aurivella*)  
 golden jelly (*Tremella mesentericus*)  
 granular puff-ball (*Arachnion album*)  
 granular-stalk bolete (*Suillus granulatus*)  
 grey bonnet (*Mycena aetites*)  
 grey coral fungus (*Clavulina cinerea*)  
 grey-egg bird's nest fungus (*Cyathus olla*)  
 greasy cap (*Collybia butyracea*)  
 green-spored parasol (*Chlorophyllum molybdites*)  
 green wood-cup (*Chlorosplenium aeruginascens*)
- hairy bird's nest fungus (*Cyathus pallidus*)  
 hairy bracket (*Coriolus hirsutus*)  
 hairy crust cap (*Stereum hirsutum*)  
 hairy wood cap (*Lentinus lecomtei*)  
 half-globe mushroom (*Agrocybe pediades*)  
 haymaker's cap (*Panaeolina foenicicii*)  
 honey mushroom (*Armillariella mellea*)  
 horse mushroom (*Agaricus arvensis*)  
 horse-hair fungus (*Marasmius androsaceus*)  
 horse's hoof bracket (*Phellinus igniarius*)
- jacaranda stinkhorn (*Itajahya galericulata*)  
 Japanese umbrella (*Coprinus plicatilis*)  
 jelly shell fan (*Crepidotis mollis*)  
 Jew's ear (*Auricularia auricula-judae*)
- lantern fan (*Panellus stipticus*)  
 lantern funnel (*Omphalotus olearius*)  
 larch bolete (*Suillus grevillei*)  
 large cork polypore (*Trametes meyenii*)  
 large honeycomb bracket (*Hexagona speciosa*)  
 large-pored funnel cap (*Polyporus arcularius*)  
 leathery-brown bracket (*Corioloopsis occidentalis*)  
 leathery fan (*Panus torulosus*)  
 liberty cap (*Psilocybe semilanceata*)  
 light-rimmed crust cap (*Stereum bicolor*)  
 lilac puff-ball (*Calvatia lilacina*)  
 little pin-wheel (*Marasmius rotula*)  
 lizard's claw (*Lysurus gardneri*)  
 long-stemmed ink cap (*Montagnites candollei*)
- mealie-pip puff-ball (*Broomeia congregata*)  
 milk-white toothed crust (*Irpex lacteus*)  
 miller (*Clitopilus prunulus*)  
 mosaic puff-ball (*Calvatia utriformis*)  
 mossy maize gill (*Cerrena unicolor*)
- oak maze gill (*Daedalia quercina*)  
 oak-loving toadstool (*Collybia dryophila*)  
 ochre-yellow earth-ball (*Scleroderma flavidum*)  
 olive-brown funnel cap (*Polyporus sacer*)  
 orange bonnet (*Mycena acicula*)  
 orange pin-wheel (*Marasmius siccus*)  
 orange tuft (*Gymnopilus junonius*)  
 orange-brown lacquered bracket (*Ganoderma lucidum*)  
 orange-yellow rough top (*Pseudophaeolus baudonii*)  
 oyster mushroom (*Pleurotus ostreatus*)
- paddy-straw mushroom (*Volvariella volvacea*)  
 pale-brown false truffle (*Rhizopogon luteolus*)  
 panther cap (*Amanita pantherina*)  
 paper fungus (*Merulius corium*)  
 parasol mottle gill (*Panaeolus ater*)  
 peaked bonnet (*Mycena galericulata*)  
 peat funnel (*Omphalina ericetorum*)  
 penny bun (*Boletus edulis*)  
 pepper pot (*Myriostoma coliformis*)  
 peppery milkcap (*Lactarius piperatus*)  
 pestle-shaped puff-ball (*Calvatia exipuliformis*)  
 pigskin earth-ball (*Scleroderma citrinum*)  
 pine bolete (*Suillus beltinii*)  
 pine fire fungus (*Rhizina undulata*)

- pine-cone tooth (*Auriscalpium vulgare*)  
 pine-needle bonnet (*Mycena vulgaris*)  
 poison pie (*Hebeloma crustuliniforme*)  
 poplar bolete (*Leccinum diriusculum*)  
 purple-brown crust cap (*Stereum umbrinum*)  
 purple-stemmed russula (*Russula sardonica*)  
 rainbow russula (*Russula cyanoxantha*)  
 razor-strop bracket (*Piptoporus betulinus*)  
 red stinkhorn (*Anthurus archeri*)  
 red-pored bracket (*Daedalopsis confragosa*)  
 red-rimmed bracket (*Fomitopsis pinicola*)  
 reddish false truffle (*Rhizopogon rubescens*)  
 rolling puff-ball (*Mycenastrum corium*)  
 rooting shank (*Oudemansiella radicata*)  
 rose-gilled grissette (*Volvariella speciosa*)  
 rough fan (*Panus rudis*)  
 rough puff-ball (*Lycoperdon djurense*)  
 saffron milk cap (*Lactarius deliciosus*)  
 sand cup fungus (*Peziza ammophila*)  
 sand earth star (*Geastrum ambiguum*)  
 sand stalked puff-ball (*Battarea stevenii*)  
 scaly earth-ball (*Scleroderma verrucosum*)  
 scaly forest mushroom (*Agaricus silvaticus*)  
 scaly puff-ball (*Phellorina inquinans*)  
 scaly wood cap (*Lentinus lepideus*)  
 scarlet wax gill (*Hygrocybe coccinea*)  
 semi-ovate dung head (*Panaeolus semiovatus*)  
 shaggy ink cap (*Coprinus comatus*)  
 shaggy mane (*Coprinus comatus*)  
 shaggy parasol (*Lepiota rhacodes*)  
 silver leaf fungus (*Chondrostereum purpureum*)  
 slippery jack (*Suillus luteus*)  
 small hoof bracket (*Oxyporus populinus*)  
 small pine cap (*Gymnopilus penetrans*)  
 small puff-ball (*Lycoperdon pusillum*)  
 smoky crust cap (*Bjerkandera adusta*)  
 smooth earth-ball (*Scleroderma cepa*)  
 smooth forest mushroom (*Agaricus silvicola*)  
 smooth parasol (*Lepiota leucothites*)  
 smooth-stalked puff-ball (*Tulostoma brumale*)  
 snowy wax gill (*Hygrocybe nivea*)  
 soap-scented toadstool (*Tricholoma saponaceum*)  
 speckled horse-manure fungus (*Poronia punctata*)  
 spindle shank (*Collybia fusipes*)  
 split-gill fungus (*Schizophyllum commune*)  
 split-pore fungus (*Schizopora paradoxa*)  
 St. George's mushroom (*Tricholoma gambosum*)  
 stag's horn (*Xylaria hypoxylon*)  
 stalked crust cap (*Stereum affine*)  
 stalked-fan polypore (*Favolus brasiliensis*)  
 stalked roll-rim (*Paxillus involutus*)  
 stalkless roll-rim (*Paxillus panuoides*)  
 star stinkhorn (*Aseroë rubra*)  
 stellenbosch bolete (*Boletus stellenbossiensis*)  
 stinking parasol (*Lepiota cristata*)  
 striated wood club (*Xylaria arbuscula*)  
 subtropical cinnabar bracket (*Pycnoporus coccineus*)  
 sulphur shelf (*Laetiporus sulphureus*)  
 sulphur tuft (*Hypholoma fasciculare*)  
 tall parasol (*Lepiota procera*)  
 termite-nest club fungus (*Xylaria nigripes*)  
 termite-nest mushroom (*Podabrella microcarpa*)  
 thin-cap honeycomb bracket (*Hexagona tenuis*)  
 thin-plated bracket (*Coriolopsis trabea*)  
 tinderwood fungus (*Fomes fomentarius*)  
 tiny parasol (*Lepiota excoriata*)  
 trembling crust (*Merulius tremellosus*)  
 tropical cinnabar bracket (*Pycnoporus sanguineus*)  
 turkey-tail (*Coriolus versicolor*)  
 two-tone veil cap (*Psathyrella candoleana*)  
 umbo toadstool (*Inocybe eutheles*)  
 veiled stinkhorn (*Dyctiophora indusiata*)  
 velvet blue crust (*Pulchericium caerulium*)  
 velvet bracket (*Coriolus pubescens*)  
 velvet-brown crust (*Duportella tristicula*)  
 velvet shank (*Flammula velutipes*)  
 velvet wood cap (*Lentinus velutinus*)  
 velvety earth tongue (*Trichoglossum hirsutum*)  
 violet crust cap (*Chondrostereum purpureum*)  
 warted puff-ball (*Phellorina strobilina*)  
 waxy-pore fungus (*Gloeoporus dichrous*)  
 wet-rot fungus (*Coniophora puteana*)  
 white agaric (*Amanita solitaria*)  
 white bracket (*Fomes geotropus*)  
 white-cheese polypore (*Tyromyces fragilis*)  
 white coral fungus (*Clavulina cristata*)  
 white cork polypore (*Pseudotremetes gibbosa*)  
 white crust (*Corticium portentosum*)  
 white knightly mushroom (*Tricholoma album*)  
 white parasol (*Lepiota zeyheri*)  
 white shell fan (*Crepidotis applanatus*)  
 white-egg bird's nest fungus (*Crucibulum laeve*)  
 white-stemmed russula (*Russula capensis*)  
 witches' butter (*Exidia glandulosa*)  
 wood blewit (*Lepista nuda*)  
 wrinkled wood club (*Xylaria castorea*)  
 yellow fairy cup (*Bisporella citrina*)  
 yellow stinkhorn (*Phallus rubicundus*)  
 yellow-gray bonnet (*Mycena vibecina*)  
 yellow-rimmed velvet top (*Phaeolus schweinitzii*)  
 yellow-staining toadstool (*Agaricus xanthodermus*)  
 yellow-toothed crust (*Irpex flavus*)

### Erkenning

Die skrywers bedank graag vir prof. L.C. Eksteen, Departement Afrikaans, Universiteit van Pretoria vir sy waardevolle advies en kritiese deurlees van die woordelys.